VECORE™
CERAMIC

Built to
ENDURE...
Designed to
INSPIRE!



HEAVY DUTY
Vitrified Parking Tiles

www.vecoreceramic.com

CONTACT US

Add: Kishangarh - Jaipur Highway (NH-48),
Village Patan, Kishangarh, Ajmer - 305816.

Mail: vecoreceramic@gmail.com

Call: +91 96103 64641


ABOUT COMPANY

Vecore Ceramic is one of India's leading Parking tile manufacturer in Rajasthan. We introduces the latest and most attractive range of tiles and designs.

Vecore Ceramic is a innovator of new concept based designs for the outdoor of your dream homes and parking areas. Driven by a passion for design & commitment to quality, we combine modern & advance manufacturing capabilities, innovative concepts, and rigorous quality standards to deliver tiles that are built for both visual impact & long-term performance.

We are manufacturing 400x400mm heavy duty vitrified parking tiles which is appreciated worldwide by our valuable customers.





VECORE™
CERAMIC

WHY US?

- **Quality**
- **Innovation**
- **Integrity**
- **Commitment**

LARGE PRODUCTION

At Vecore Ceramic, with advanced manufacturing technology we have a large production capacity around 15000 box (approx.) per day with consistent quality every time and design is available anytime. There is a fast & reliable supply and wide range of designs.

15,000 BOX
PRODUCTION CAPACITY



MISSION & VISSION

MISSION

To become a trusted name in the Indian parking tile industry through quality products, innovative designs, and dependable customer satisfaction.

VISSION

Creating strong, stylish, and long-lasting parking tile surfaces with consistent quality and innovative manufacturing standards.

OUR
QUALITY

Our 400×400mm heavy-duty parking tiles are engineered specifically for demanding outdoor applications where strength, durability, safety, and appearance are equally important.But we focus in quality for the clients satisfaction. Good quality tiles in every parking tiles.

At Vecore Ceramic, we believe a tile is more than just a surface—it is an essential element of architecture. That is why we bring together innovative design, dependable performance, and uncompromising quality to create products that enhance spaces and deliver lasting value.


OUR
DESIGN

We continuously explore new designs, concepts and product possibilities to bring fresh and relevant solutions to the market.

There is a wide range of product size 400x400mm attractive design for outdoor surfaces. In which plain,rustic, matt finish & punch finish also.Wide range of morroccan, marbles, light-dark series, terazzo collection and many more design that suitable for your outdoor surfaces.



- PREMIUM LOOK
- HEAVY DUTY STRENGTH
- ANTI-SKID SURFACE
- WEATHER RESISTANT
- LONG LASTING BEAUTY



**BUILT FOR STRENGTH.
DESIGNED FOR IMPACT.
CREATED TO LAST.**

APPLICATION

HOUSING

HOTELS

SHOPS


ROOF TOP

RESTAURANTS

OUTDOOR

POOL AREAS

MALLS





FEATURES

- EASY TO CLEAN
- EASY TO INSTALL
- ECOLOGICAL
- STAIN RESISTANCE
- CHEMICAL RESISTANCE
- ABSORPTION RESISTANCE
- SCRATCH RESISTANCE
- THERMIC IMPACT RESISTANCE
- SLIP RESISTANCE
- FLEXURAL RESISTANCE
- FROST PROOF
- EAR RESISTANCE

400x
400mm



12mm(approx.)
Thickness

VECORE™
CERAMIC


HEAVY DUTY
Vitrified Parking Tiles

400x400mm



Punch
Collection

PUNCH *Collection*



PUNCH

400x
400mm

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-401



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-402





FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm

info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-403



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-404



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-405



FINISH
Punch

THICKNESS
12mm(approx.)


SIZE
400x400mm



Exclusive COLLECTION | 400X 400MM | DIGITAL PARKING TILES

VECORE™ CERAMIC

V-406



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-407





FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm


Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-408



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-409



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-410






FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm

PUNCH *Collection*



PUNCH

400x
400mm

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-501



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-502



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-503



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-504



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-505



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-506



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-507



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-508





FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm

Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-509



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-510



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-511



FINISH
Punch


THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

PUNCH *Collection*



PUNCH

400x
400mm

Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-601-L




V-601-D



FINISH
PUNCH

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-602-L




V-602-D



FINISH
PUNCH

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-603



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-604



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-605



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive COLLECTION | 400X 400MM | DIGITAL PARKING TILES

VECORE™ CERAMIC

V-606



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-607



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-608



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



info@www.vecoreceramic.com

Exclusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC

V-609



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



Execlusive
COLLECTION

400X
400MM

DIGITAL
PARKING TILES

VECORE™
CERAMIC


V-610



FINISH
Punch

THICKNESS
12mm(approx.)

SIZE
400x400mm



TECHNICAL SPECIFICATIONS

	NORMS	REQUIRED STANDARD		OUR VALUES
SIZE	UNI EN ISO 10545/2	LENGTH & WIDTH	±0.6% MAX.	ACCORDING
		LINEARITY	±0.5% MAX.	
		THICKNESS	±5% MAX.	
WATER ABSORPTION	UNI EN ISO 10545/3	±1.5%		ACCORDING
BENDING STRENGTH	UNI EN ISO 10545/4	S>1300N R 35.3N/mm2		S2831N R 35.3N/mm2
ABRASION RESISTANCE	UNI EN ISO 10545/7	GLAZED TILES-ABRASION CLASS FROM 1 TO 5		CLASS 5
THERMAL SHOCK	UNI EN ISO 10545/9	NO SAMPLE MUST SHOW VISIBLE DEFECTS		RESISTANT
FROST RESISTANCE	UNI EN ISO 10545/12	RESISTANT		RESISTANT
CHEMICAL RESISTANCE	UNI EN ISO 10545/13	TEXT METHOD AVAILABLE		ACCORDING
STAIN RESISTANCE	UNI EN ISO 10545/14	MINIMUM CLASS 3		CLASS 5
ASSESSMENT OF SLIP RESISTANCE	DIN 51130	R		R 11
SCRATCH HARDNESS OF SURFACE	UNI EN 101	>5 MOHS		8

NOTE: shade/size variation is inherent characteristic of ceramic tiles, in case of any cmplaint, it should be brought to our dealer notice before laying the tiles.

PACKING DETAILS

SIZE	THICKNESS	SERIES	TILES PER BOX	COVERAGE AREA	WEIGHT
400x400mm	12mm(Aprx.)	DIGITAL	5 Pcs.	0.80 Sq. Mtr.	18.7 Kg.